This is NOT an all-inclusive list of covered medications or medications that require prior authorization. Only PDL managed categories are included. Refer to cover page for complete list of rules governing this PDL.

Visit http://www.hidesigns.com/ndmedicaid for more information on medications not found in this list.

EFFECTIVE 10/01/2017 Version 2017.5

- Prior authorization for a non-preferred agent in any category will be given only if there has been a trial of the
 preferred brand/generic equivalent or preferred formulation of the active ingredient at a therapeutic dose that
 resulted in a partial response with a documented intolerance.
- Prior authorization criteria applies in addition to the general Drug Utilization Review policy that is in effect for the
 entire pharmacy program, including, but not limited to, appropriate dosing, duplication of therapy, etc. Refer
 to http://www.hidesigns.com/ndmedicaid for applicable quantity limits and therapeutic duplication edits.
- Unless otherwise specified, the listing of a particular brand or generic name includes all legend forms of that drug.
 OTC drugs are not covered unless specified.
- The use of pharmaceutical samples will not be considered when evaluating the member's medical condition or prior prescription history for drugs that require prior authorization.
- This is NOT an all-inclusive list of medications covered by ND Medicaid. Please use the NDC Drug Lookup tool
 at http://nddruglookup.hidinc.com/ to view coverage status, quantity limits, copay, and prior authorization information
 for all medications.
- This is NOT an all-inclusive list of medications that require prior authorization. Please
 visit http://www.hidesigns.com/ndmedicaid/pa-criteria.html for PA criteria for medications not found on the PDL.
- This PDL is subject to change. Preferred positions and criteria will go into effect when an SRA is executed.
- Acronyms
 - PA Indicates preferred agents that require clinical prior authorization.
 - *** Indicates that additional PA criteria applies as indicated in the sidebar

EFFECTIVE 10/01/2017 Version 2017.5

	CHANGES SINCE LAST VERSION	
Category	Product Status Changes	Criteria Changes
HEPATITIS C TREATMENTS	HARVONI (ledipasvir/sofosbuvir) moved to non-preferred	Category Criteria updated
HEPATITIS C TREATMENTS	SOVALDI (sofosbuvir) moved to non-preferred	Group Criteria updated
HEPATITIS C TREATMENTS	TECHNIVIE (ombitasvir/paritaprevir/ritonavir) moved to non-preferred	PA Criteria removed
HEPATITIS C TREATMENTS	VIEKIRA PAK (dasabuvir/ombitasvir/paritaprevir/ritonavir) moved to non- preferred	PA Criteria removed
HEPATITIS C TREATMENTS	VIEKIRA PAK XR (dasabuvir/ombitasvir/paritaprevir/ritonavir) moved to non- preferred	PA Criteria removed
HEPATITIS C TREATMENTS	ZEPATIER (elbasvir/grazoprevir) moved to non-preferred	PA Criteria removed
ANTIHEMOPHILIC FACTORS	NUWIQ added to preferred	

EFFECTIVE 10/01/2017 Version 2017.5

This is NOT an all-inclusive list of covered medications or medications that require prior authorization. Only PDL managed categories are included. Refer to cover page for complete list of rules governing this PDL. Visit http://www.hidesigns.com/ndmedicaid for more information on medications not found in this list.

	THERAPEUTIC DR	UG CLASS
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	ADHD	

Category PA Criteria:

Branded non-preferred agents: A 14-day trial of 2 preferred agents will be required before a non-preferred agent will be authorized unless 1 of the exceptions on the PA form is present. A 30-day trial of 2 preferred generics of the same medication will satisfy this requirement.

Generic non-preferred agents: A 30-day trial of a pharmaceutically equivalent preferred agent will be required before a non-preferred agent will be authorized unless 1 of the exceptions on the PA form is present.

Rational of inability to swallow a solid dosage form must be provided after age 9 for all non-solid dosage forms.

ADDERALL XR (dextroamphetamine/amphetamine)	ADDERALL (dextroamphetamine/amphetamine)
ADZENYS XR - ODT (amphetamine)	Atomoxetine - Labelers 00093, 64980, 68462
APTENSIO XR (methylphenidate)	Clonidine ER
Atomoxetine - Labeler 66993	CONCERTA (methylphenidate)
Clonidine	DEXEDRINE (dextroamphetamine)
COTEMPLA XR - ODT (methylphenidate)	Dexmethylphenidate ER
DAYTRANA (methylphenidate)	Dextroamphetamine/amphetamine ER - Labelers 00115, 00228, 00555, 66993
DESOXYN (methamphetamine)	FOCALIN (dexmethylphenidate)
Dexmethylphenidate	INTUNIV (guanfacine ER)
Dextroamphetamine	METADATE ER (methylphenidate)
Dextroamphetamine 5 mg/5 ml	METHYLIN (methylphenidate) chew tablets
Dextroamphetamine ER	METHYLIN (methylphenidate) solution
Dextroamphetamine/amphetamine	RITALIN (methylphenidate)
Dextroamphetamine/amphetamine ER - Labeler 00781	RITALIN LA (methylphenidate LA capsules - 50-50)
DYANAVEL XR (amphetamine)	STRATTERA (atomoxetine)
EVEKEO (amphetamine)	

*** Kapvay will require a 1-month trial of immediate release clonidine.

EFFECTIVE 10/01/2017 Version 2017.5

This is NOT an all-inclusive list of covered medications or medications that require prior authorization. Only PDL managed categories are included. Refer to cover page for complete list of rules governing this PDL. Visit http://www.hidesigns.com/ndmedicaid for more information on medications not found in this list.

THERAPEUTIC DRUG CLASS

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
FOCALIN XR (dexmethylphenidate)		
Guanfacine ER		
KAPVAY (clonidine)PA***		
Methamphetamine		-
Methylphenidate CD 30-70		
Methylphenidate chew tablet	1	
Methylphenidate ER capsules 50-50		
Methylphenidate ER tablet		
Methylphenidate LA capsules - 50-50		1
Methylphenidate solution		
Methylphenidate tablet		
MYDAYIS		
(amphetamine/dextroamphetamine)		
PROCENTRA (dextroamphetamine)		
QUILLICHEW ER (methylphenidate)		
QUILLIVANT XR (methylphenidate)		
VYVANSE (lisdexamfetamine)		
VYVANSE (lisdexamfetamine) chew tablet		
ZENZEDI (dextroamphetamine)		
	ALLERGENIC E	XTRACTS
Non-preferred agents:	osis of allergic rhinitis due to a pollen containe ositive skin test or in vitro testing for pollen-sp oral antihistamines, intranasal antihistamines	ecific IgE antibodies contained in the requested product. s, intranasal corticosteroids, or leukotriene inhibitors.
GRASTEK (GRASS POLLEN-TIMOTHY, STD) ^{PA}	ORALAIR (GR POL-ORC/SW VER/RYE/KENT/TIM)	

EFFECTIVE 10/01/2017 Version 2017.5

	THERAPEUTIC DR	UG CLASS
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
RAGWITEK (WEED POLLEN-SHORT RAGWEED) ^{PA}		
	ANGINA	
RANEXA (ranolazine)		
	ANTICOAGULAN	
Category PA Criteria: A 30-day trial of all pre	eferred agents will be required before a non-pre	eferred agent will be authorized. All agents will require an FDA indication.
ELIQUIS (Apixaban)PA	SAVAYSA (edoxaban)	
PRADAXA (dabigatran)PA		
XARELTO (rivaroxaban)PA		
Category PA Criteria:	ANTICONVUL	SANTS
Branded non-preferred agents: A 30-day trial of present. A 30-day trial of 2 preferred generics	, i	
present. A 30-day trial of 2 preferred generics Generic non-preferred agents: A 30-day trial of exceptions on the PA form is present.	of a pharmaceutically equivalent preferred ager	nt will be required before a non-preferred agent will be authorized unless 1 of the
present. A 30-day trial of 2 preferred generics Generic non-preferred agents: A 30-day trial of exceptions on the PA form is present. APTIOM (eslicarbazepine)	of a pharmaceutically equivalent preferred ager CARBATROL (carbamazepine)	
present. A 30-day trial of 2 preferred generics Generic non-preferred agents: A 30-day trial of exceptions on the PA form is present.	of a pharmaceutically equivalent preferred ager CARBATROL (carbamazepine) DEPAKENE (valproic acid) CAPSULE	
present. A 30-day trial of 2 preferred generics Generic non-preferred agents: A 30-day trial of exceptions on the PA form is present. APTIOM (eslicarbazepine)	of a pharmaceutically equivalent preferred ager CARBATROL (carbamazepine)	
present. A 30-day trial of 2 preferred generics Generic non-preferred agents: A 30-day trial of exceptions on the PA form is present. APTIOM (eslicarbazepine) BANZEL (rufinamide) ORAL SUSPENSION BANZEL (rufinamide) TABLET BRIVIACT (brivaracetam)	CARBATROL (carbamazepine) DEPAKENE (valproic acid) CAPSULE DEPAKENE (valproic acid) ORAL SOLUTION DEPAKOTE (divalproex sodium) TABLET	
Generic non-preferred agents: A 30-day trial of exceptions on the PA form is present. APTIOM (eslicarbazepine) BANZEL (rufinamide) ORAL SUSPENSION BANZEL (rufinamide) TABLET	CARBATROL (carbamazepine) DEPAKENE (valproic acid) CAPSULE DEPAKENE (valproic acid) ORAL SOLUTION DEPAKOTE (divalproex sodium) TABLET DEPAKOTE ER (divalproex sodium)	
present. A 30-day trial of 2 preferred generics Generic non-preferred agents: A 30-day trial of exceptions on the PA form is present. APTIOM (eslicarbazepine) BANZEL (rufinamide) ORAL SUSPENSION BANZEL (rufinamide) TABLET BRIVIACT (brivaracetam)	CARBATROL (carbamazepine) DEPAKENE (valproic acid) CAPSULE DEPAKENE (valproic acid) ORAL SOLUTION DEPAKOTE (divalproex sodium) TABLET DEPAKOTE ER (divalproex sodium) DEPAKOTE SPRINKLE (divalproex sodium)	
Generic non-preferred agents: A 30-day trial of exceptions on the PA form is present. APTIOM (eslicarbazepine) BANZEL (rufinamide) ORAL SUSPENSION BANZEL (rufinamide) TABLET BRIVIACT (brivaracetam) Carbamazepine chewable tablet	CARBATROL (carbamazepine) DEPAKENE (valproic acid) CAPSULE DEPAKENE (valproic acid) ORAL SOLUTION DEPAKOTE (divalproex sodium) TABLET DEPAKOTE ER (divalproex sodium) DEPAKOTE SPRINKLE (divalproex sodium) DILANTIN (phenytoin) CHEWABLE TABLET	
Generic non-preferred agents: A 30-day trial of exceptions on the PA form is present. APTIOM (eslicarbazepine) BANZEL (rufinamide) ORAL SUSPENSION BANZEL (rufinamide) TABLET BRIVIACT (brivaracetam) Carbamazepine chewable tablet Carbamazepine ER capsule	CARBATROL (carbamazepine) DEPAKENE (valproic acid) CAPSULE DEPAKENE (valproic acid) ORAL SOLUTION DEPAKOTE (divalproex sodium) TABLET DEPAKOTE ER (divalproex sodium) DEPAKOTE SPRINKLE (divalproex sodium) DILANTIN (phenytoin) CHEWABLE	
Generic non-preferred agents: A 30-day trial of exceptions on the PA form is present. APTIOM (eslicarbazepine) BANZEL (rufinamide) ORAL SUSPENSION BANZEL (rufinamide) TABLET BRIVIACT (brivaracetam) Carbamazepine chewable tablet Carbamazepine ER capsule Carbamazepine oral suspension	CARBATROL (carbamazepine) DEPAKENE (valproic acid) CAPSULE DEPAKENE (valproic acid) ORAL SOLUTION DEPAKOTE (divalproex sodium) TABLET DEPAKOTE ER (divalproex sodium) DEPAKOTE SPRINKLE (divalproex sodium) DILANTIN (phenytoin) CHEWABLE TABLET DILANTIN (phenytoin) ORAL	
Generic non-preferred agents: A 30-day trial of exceptions on the PA form is present. APTIOM (eslicarbazepine) BANZEL (rufinamide) ORAL SUSPENSION BANZEL (rufinamide) TABLET BRIVIACT (brivaracetam) Carbamazepine chewable tablet Carbamazepine ER capsule Carbamazepine oral suspension Carbamazepine tablet	CARBATROL (carbamazepine) DEPAKENE (valproic acid) CAPSULE DEPAKENE (valproic acid) ORAL SOLUTION DEPAKOTE (divalproex sodium) TABLET DEPAKOTE ER (divalproex sodium) DEPAKOTE SPRINKLE (divalproex sodium) DILANTIN (phenytoin) CHEWABLE TABLET DILANTIN (phenytoin) ORAL SUSPENSION	
Generic non-preferred agents: A 30-day trial of exceptions on the PA form is present. APTIOM (eslicarbazepine) BANZEL (rufinamide) ORAL SUSPENSION BANZEL (rufinamide) TABLET BRIVIACT (brivaracetam) Carbamazepine chewable tablet Carbamazepine ER capsule Carbamazepine oral suspension Carbamazepine tablet Carbamazepine XR tablet	CARBATROL (carbamazepine) DEPAKENE (valproic acid) CAPSULE DEPAKENE (valproic acid) ORAL SOLUTION DEPAKOTE (divalproex sodium) TABLET DEPAKOTE ER (divalproex sodium) DEPAKOTE SPRINKLE (divalproex sodium) DILANTIN (phenytoin) CHEWABLE TABLET DILANTIN (phenytoin) ORAL SUSPENSION DILANTIN ER (phenytoin)	

EFFECTIVE 10/01/2017 Version 2017.5

	THERAPEUTIC D	RUG CLASS
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	SUSPENSION	
Divalproex tablet	KEPPRA (levetiracetam)	
Ethosuximide capsule	KEPPRA (levetiracetam) ORAL SOLUTION	
Ethosuximide oral solution	KEPPRA XR (levetiracetam)	
Felbamate oral suspension	LAMICTAL (lamotrigine)	
Felbamate tablet	LAMICTAL (lamotrigine) CHEWABLE TABLET	
FYCOMPA (perampanel)	LAMICTAL (lamotrigine) DOSE PACK	
FYCOMPA (perampanel) ORAL SUSPENSION	MYSOLINE (primidone)	
Gabapentin capsule	NEURONTIN (gabapentin) CAPSULE	
Gabapentin oral solution	NEURONTIN (gabapentin) ORAL SOLUTION	
Gabapentin tablet	NEURONTIN (gabapentin) TABLET	
GABITRIL (tiagabine)	QUDEXY XR (topiramate)	
LAMICTAL ER (lamotrigine) DOSE PACK	TEGRETOL XR (carbamazepine)	
LAMICTAL ODT (lamotrigine)	TEGRETROL (carbamazepine oral suspension)	
LAMICTAL ODT (lamotrigine) DOSE PACK	TOPAMAX (topiramate)	
LAMICTAL XR (lamotrigine)	TOPAMAX (topiramate) SPRINKLE CAPSULE	
Lamotrigine chewable tablet	TRILEPTAL (oxcarbazepine)	
Lamotrigine dose pack	TRILEPTAL (oxcarbazepine) ORAL SUSPENSION	
Lamotrigine ER	ZARONTIN (ethosuximide)	
Lamotrigine ODT	ZARONTIN (ethosuximide) ORAL SOLUTION	
Lamotrigine tablet	ZONEGRAN (zonisamide)	
Levetiracetam ER		
_evetiracetam oral solution		
Levetiracetam tablet		
LYRICA (pregabalin)		7

EFFECTIVE 10/01/2017 Version 2017.5

	THERAPEUTIC D	RUG CLASS
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
LYRICA (pregabalin) ORAL SOLUTION		
Oxcarbazepine oral solution		
Oxcarbazepine tablet		
OXTELLAR XR (oxcarbazepine)		
PEGANONE (Ethotoin)		
Phenobarbital elixir		
Phenobarbital tablet		
PHENYTEK (phenytoin)		
Phenytoin chewable tablet		
Phenytoin ER capsule		
Phenytoin suspension		
POTIGA (ezogabine)		
Primidone		
SABRIL (vigabatrin)		
SABRIL (vigabatrin) POWDER PACK		
SPRITAM (levetiracetam)		
TEGRETOL (carbamazepine)		
Tiagabine		
Topiramate ER		
Topiramate sprinkle capsule		
Topiramate tablet		
TROKENDI XR (topiramate)		
Valproic acid capsule		
Valproic acid oral solution		
VIMPAT (lacosamide)		
VIMPAT (lacosamide) ORAL SOLUTION		
Zonisamide		
	ANTIDEMI	ENTIA

EFFECTIVE 10/01/2017 Version 2017.5

This is NOT an all-inclusive list of covered medications or medications that require prior authorization. Only PDL managed categories are included. Refer to cover page for complete list of rules governing this PDL.

Visit http://www.hidesigns.com/ndmedicaid for more information on medications not found in this list.

	THERAPEUTIC DR	RUG CLASS
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
Branded non-preferred agents: A 30-day trial present. A 30-day trial of 2 preferred generics	of the same medication will satisfy this require	non-preferred agent will be authorized unless 1 of the exceptions on the PA form is
Donepezil	ARICEPT (donepezil)	***Namenda XR – A 30-day trial of memantine IR will be required before Namenda
EXELON (rivastigmine)	Donepezil ODT	XR will be authorized.
EXELON (rivastigmine) PATCH	NAMENDA (memantine)	
Galantamine	NAMZARIC (memantine/donepezil)	
Galantamine ER	RAZADYNE (galantamine)	
Galantamine oral solution	RAZADYNE ER (galantamine)	

ANTIDEPRESSANTS - NEW GENERATION

Category PA Criteria:

NAMENDA XR (memantine)***

NAMENDA (memantine) ORAL SOLUTION

Memantine

Rivastigmine

Branded non-preferred agents: A 30-day trial of 2 preferred agents will be required before a non-preferred agent will be authorized unless 1 of the exceptions on the PA form is present. A 30-day trial of 2 preferred generics of the same medication will satisfy this requirement.

Generic non-preferred agents: A 30-day trial of a pharmaceutically equivalent preferred agent will be required before a non-preferred agent will be authorized unless 1 of the exceptions on the PA form is present.

Bupropion SR tablet	APLENZIN ER (bupropion)
Bupropion tablet	CELEXA (citalopram)
Bupropion XL tablet	CYMBALTA (duloxetine)
Citalopram	Desvenlafaxine ER - labelers 00054, 00378, 00591, 51991, and 68180
Citalopram oral solution	EFFEXOR XR (venlafaxine)
Clomipramine	Fluoxetine DR
Desvenlafaxine ER - labeler 59762	FORFIVO XL (bupropion)

Rivastigmine patch

EFFECTIVE 10/01/2017 Version 2017.5

	THERAPEUTIC DR	UG CLASS
PREFERRED AGENTS	NON-PREFERRED AGENTS	
Duloxetine	IRENKA (duloxetine)	
Escitalopram	LEXAPRO (escitalopram)	
Escitalopram oral solution	LEXAPRO (escitalopram) ORAL SOLUTION	
FETZIMA (levomilnacipran)	PAXIL (paroxetine)	
Fluoxetine capsule	PAXIL CR (paroxetine)	
Fluoxetine solution	PROZAC (fluoxetine)	
Fluoxetine tablet	venlafaxine ER tablets - labeler 29033 and 41616	
Fluvoxamine	WELLBUTRIN (bupropion)	
Fluvoxamine ER	WELLBUTRIN SR (bupropion)	
KHEDEZLA ER (desvenlafaxine)	WELLBUTRIN XL (bupropion)	
Nefazodone	ZOLOFT (sertraline)	
OLEPTRO ER (trazodone)	ZOLOFT (sertraline) ORAL CONCENTRATE	
Paroxetine		
Paroxetine ER		
PAXIL (paroxetine) ORAL SUSPENSION		
PEXEVA (paroxetine)		
PRISTIQ ER (desvenlafaxine)		
PROZAC WEEKLY (fluoxetine)		
Sertraline		
Sertraline oral concentrate		
Trazodone		
TRINTELLIX (vortioxetine)		
Venlafaxine capsule		
Venlafaxine ER tablets - labeler 11381 and 68025		
Venlafaxine tablet		
VIIBRYD (vilazodone)		
	ANTIHEMOPHILIC	FACTORS

EFFECTIVE 10/01/2017 Version 2017.5

This is NOT an all-inclusive list of covered medications or medications that require prior authorization. Only PDL managed categories are included. Refer to cover page for complete list of rules governing this PDL.

Visit http://www.hidesigns.com/ndmedicaid for more information on medications not found in this list.

	THERAPEUTIC DR	RUG CLASS
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
Category PA Criteria: 1. Patient must visit an accredited Hemophilia 2. The doctor must provide the date of patient 3. The doctor must include the contact information.	's last appointment at the treatment center.	e patient.
ADVATE ^{PA}	ADYNOVATE	
AFSTYLA ^{PA}	ELOCTATE	
ALPHANATE ^{PA}		
ALPHANINE SD ^{PA}		
ALPROLIX ^{PA}		
BEBULIN ^{PA}		
BENEFIX ^{PA}		
COAGADEX ^{PA}		
FEIBA ^{PA}		
HELIXATE FSPA		
HEMOFIL MPA		
HUMATE-PPA		
IDELVIONPA		
IXINITY ^{PA}		
KOATE-DVIPA		
KOGENATE FS BIO-SETPA		
KOGENATE FSPA		
KOVALTRYPA		
MONOCLATE-PPA		
MONONINEPA		
NOVOEIGHT ^{PA}		
NOVOSEVEN ^{PA}		
NUWIQ ^{PA}		
OBIZURE ^{PA}		
PROFILNINE SDPA		

EFFECTIVE 10/01/2017 Version 2017.5

	THERAPEUTIC D	RUG CLASS
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITE
RECOMBINATEPA		
RIXUBISPA		
VONVENDIPA		
WILATEPA		
XYNTHAPA		
	NTIRETROVIRALS - NUCLEOSIDE REV	ERSE TRANSCRIPTASE INHIBITORS
Abacavir		
Abacavir/lamivudine/zidovudine		
ATRIPLA (efavirenz/emtricitabine/tenofovir)		
COMBIVIR (lamivudine/zidovudine)		
COMPLERA		
(emtricitabine/rilpivirine/tenofovir)		
DESCOVY (emtricitabine/tenofovir)		
Didanosine		
Emtricitabine		
EMTRIVA (emtricitabine)		
EPIVIR (lamivudine)		
EPIVIR HBV (lamivudine)	_	
EPZICOM (abacavir)		
GENVOYA	_	
(elvitegravir/cobicistat/emtricitabine/tenofovir)		
Lamivudine		
Lamivudine HBV		
Lamivudine/zidovudine		
ODEFSEY (emtricitabine/rilpivirine/tenofovir)		
RETROVIR (zidovudine)		1
Stavudine		7
STRIBILD		
(elvitegravir/cobicistat/emtricitabine/tenofovir)		
Tenofovir		
TRIUMEQ (abacavir/dolutegravir/lamivudine)		
TRIZIVIR (abacavir/lamivudine)		7

EFFECTIVE 10/01/2017 Version 2017.5

	I THE KAPEUTIC DE	COG CLASS
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
TRUVADA (emtricitabine/tenofovir)		
VIDEX (didanosine)		
VIDEX EC (didanosine)		
VIREAD (tenofovir)		
ZERIT (stavudine)		
ZIAGEN (abacavir)		
Zidovudine		
	ANTIRETROVIRALS - PRO	TEASE INHIBITORS
APTIVUS (tipranavir)		
CRIXIVAN (indinavir)		
EVOTAZ (atazanavir/cobicistat)		
GENVOYA (elvitegravir, cobicistat,		
emtricitabine and tenofovir)		
INVERASE (saquinavir)		
KALENTRA (lopinavir/ritonavir)		
LEXIVA (fosamprenavir)		
NORVIR (ritonavir)		
PREZCOBIX (darunavir/cobicistat)		
PREZISTA (darunavir)		
RAYATAZ (atazanavir)		
VIRACEPT (nelfinavir)		
	ATYPICAL ANTIPS	SYCHOTICS
present. A 30-day trial of 2 preferred generics	s of the same medication will satisfy this require	non-preferred agent will be authorized unless 1 of the exceptions on the PA form is ement. nt will be required before a non-preferred agent will be authorized unless 1 of the
ABILIFY (aripiprazole) ORAL SOLUTION	ABILIFY (aripiprazole)	
ABILIFY DISCMELT (aripiprazole)	CLOZARIL (clozapine)	
Aripiprazole	GEODON (ziprasidone)	

EFFECTIVE 10/01/2017 Version 2017.5

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
Clozapine	INVEGA ER (paliperidone)	
Clozapine ODT	RISPERDAL (risperidone)	
FANAPT (iloperidone)	RISPERDAL (risperidone) ORAL SOLUTION	
FAZACLO (clozapine) RAPDIS	RISPERDAL M-TAB (risperidone)	
LATUDA (Iurasidone)	SEROQUEL (quetiapine)	
Olanzapine	SEROQUEL XR (quetiapine)	
Olanzapine ODT	ZYPREXA (olanzapine)	
Olanzapine/fluoxetine	ZYPREXA ZYDIS (olanzapine)	
Paliperidone ER		
Quetiapine		
quetiapine ER		
REXULTI (brexpiprazole)		
Risperidone		
Risperidone ODT		
Risperidone oral solution		
SAPHRIS (asenapine)		
SEROQUEL XR (quetiapine) 400mg		
SYMBYAX (olanzapine/fluoxetine)		-
VRAYLAR (cariprazine)		
Ziprasidone		
	ATYPICAL ANTIPSYCHO	TICS - LONG ACTING
ABILIFY MAINTENA (aripiprazole)		
ARISTADA (aripiprazole lauroxil)		
INVEGA SUSTENNA (paliperidone)		
INVEGA TRINZA (paliperidone)		
RISPERDAL CONSTA (risperidone)		
ZYPREXA RELPREVV (olanzapine)		
	CONSTIPATION - IRRITABLE BOWE	_ SYNDROME/OPIOID INDUCED

EFFECTIVE 10/01/2017 Version 2017.5

This is NOT an all-inclusive list of covered medications or medications that require prior authorization. Only PDL managed categories are included. Refer to cover page for complete list of rules governing this PDL.

Visit http://www.hidesigns.com/ndmedicaid for more information on medications not found in this list.

	THERAPEUTIC DE	RUG CLASS
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	will be required before a non-preferred oral age	ndication. For opioid-induced constipation, a paid claim for an opioid must be on nt will be authorized. For idiopathic constipation, a 30 day trial of all preferred agents
AMITIZA (lubiprostone)	MOVANTIK (naloxegol)	***Linzess – A 30-day trial of Amitiza is required before Linzess will be authorized.
LINZESS (linaclotide)PA***	RELISTOR (methylnaltrexone) TABLET***	***Polistar Curing of Mich. Documentation report has a shorthed to about in ability to
	RELISTOR (methylnaltrexone) VIAL***	- ***Relistor Syringe/Vial – Documentation must be submitted to show inability to swallow a solid dosage form
	RELISTOR (methylnaltrexone) SYRINGE***	***Relistor tablets - A 30 day trial of Movantik is required before Relistor tablets will
	TRULANCE (plecanatide)	be authorized
	COPD	
Category PA Criteria: All non-preferred age	ents will require an FDA-approved indication reg	ardless of age.
Long Acting Anticholinergics		
Group PA Criteria: A 30-day trial of all prefe	erred agents will be required before a non-prefe	rred agent will be authorized.
SPIRIVA (tiotropium)	INCRUSE ELLIPTA (umeclidinium)	
, ,	SEEBRI NEOHALER (glycopyrrolate)	
	SPIRIVA RESPIMAT 2.5 MG (tiotropium)	1
	TUDORZA PRESSAIR (aclidinium)	
Long Acting Beta Agonists		
Group PA Criteria: All preferred agents indi	cated only for COPD will require verification of l	FDA-approved indication for patients who are younger than 40 years of age.
FORADIL (formoterol)	ARCAPTA NEOHALER (indacaterol)***	***Arcapta Neohaler will require a 30 day trial of Foradil and Serevent in addition
PERFOROMIST (formoterol)	BROVANA (arformoterol)***	to Category PA Criteria
SEREVENT (salmeterol)	STRIVERDI RESPIMAT (olodaterol)***	***Striverdi Respimat will require a 30 day trial of Foradil and Serevent in addition to Category PA Criteria
		***Brovana will require a 30 day trial of Perforomist in addition to Category PA Criteria
Short Acting Combination		

EFFECTIVE 10/01/2017 Version 2017.5

This is NOT an all-inclusive list of covered medications or medications that require prior authorization. Only PDL managed categories are included. Refer to cover page for complete list of rules governing this PDL.

Visit http://www.hidesigns.com/ndmedicaid for more information on medications not found in this list.

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	e medication will satisfy this requirement. All p	red agent will be authorized unless 1 of the exceptions on the PA form is present. A referred agents indicated only for COPD will require verification of FDA-approved
Albuterol/ipratropium	DUONEB (albuterol/ipratropium)	
COMBIVENT RESPIMAT		
(albuterol/ipratropium)		
Long Acting Combination		
require verification of FDA-approved indication		
STIOLTO RESPIMAT (tiotropium/olodaterol)	UTIBRON NEOHALER (glycopyrrolate/indacaterol)	***Utibron Neohaler will require a 30 day trial of Bevespi Aerosphere in addition to Category PA Criteria.
ANORO ELLIPTA (umeclidinium/vilanterol)	BEVESPI AEROSPHERE (glycopyrrolate/formoterol)	
PDE4 - Inhibitor		
Group PA Criteria: In addition to the category PA criteria, patient must have a history of exacerbations treated with corticosteroids within the last year for initial requests and must have had a decreased number of exacerbations treated with corticosteroids with Daliresp treatment with renewals. Patient must also have had the following 30-day trials: 1. One (1) agent in the Long Acting Anticholinergic group. 2. One (1) agent in the Long Acting Beta Agonist group or 1 agent in the Steroid/Anticholinergic Combination Inhalers category. 3. One (1) agent in the Steroid Inhalers category or 1 agent in the Steroid/Anticholinergic Combination Inhalers category.		
	DALIRESP (roflumilast)	
CYSTIC FIBROSIS ANTIINFECTIVES		
Category PA Criteria: A 28-day trial of 1 preferred agent will be required before a non-preferred agent will be authorized. Non-preferred agents will require that the patient not have been colonized with Burkholderia cepacia and an FDA-approved age and indication.		
BETHKIS (tobramycin)	CAYSTON (aztreonam)***	***Cayston – Patient must have a forced expiratory volume in less than 1 second
KITABIS PAK (tobramycin/nebulizer)	TOBI PODHALER (Tobramycin)***	(FEV1) of less than 25% or greater than 75% predicted.
	Tobramycin***	***Tobramycin/TOBI Podhaler – Patient must have a forced expiratory volume in
	TOBI (Tobramycin)***	less than 1 second (FEV1) of less than 40% or greater than 80% predicted. Patient must not have been colonized with <i>Burkholderia cepacia</i> .

EFFECTIVE 10/01/2017 Version 2017.5

This is NOT an all-inclusive list of covered medications or medications that require prior authorization. Only PDL managed categories are included. Refer to cover page for complete list of rules governing this PDL. Visit http://www.hidesigns.com/ndmedicaid for more information on medications not found in this list.

	THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
	CYTOKINE MODI		
Category PA Criteria: A 3-month trial of 2 p	referred agents will be required before a non-pro-	eferred agent will be authorized. All agents will require an FDA-approved indication.	
COSENTYX (secukinumab)PA	ACTEMRA (tocilizumab)		
ENBREL (etanercept)PA	CIMZIA (certolizumab)		
HUMIRA (adalimumab) ^{PA}	KEVZARA (sarilumab)		
HUMIRA PSORIASIS (adalimumab)PA	KINERET (anakinra)		
	ORENCIA (abatacept)		
	OTEZLA (apremilast)		
	SILIQ (brodalumab)		
	SIMPONI (golimumab)		
	STELARA (ustekinumab)		
	TALTZ (ixekizumab)		
	TREMFYA (guselkumab)		
	XELJANZ (tofacitinib)		
	XELJANZ XR (tofacitinib)		

DIABETES - DPP4 INHIBITORS

Category PA Criteria: Non preferred agents will require:

- 1. A 30-day trial of 1 sitagliptin preferred product (Janumet, Janumet XR, or Januvia) and 1 linagliptin preferred product (Jentadueto or Tradjenta).
- 2. An FDA approved indication.
- 3. Concurrent metformin therapy.
- 4. A 3-month trial of metformin

JANUMET (sitagliptin/metformin)	alogliptan/pioglitzone
JANUMET XR (sitagliptin/metformin)	alogliptin/metformin
JANUVIA (sitagliptin)	JENTADUETO XR (linagliptin/metformin)
JENTADUETO (linagliptin/metformin)	KAZANO (alogliptin/metformin)
KOMBIGLYZE XR (saxagliptin/metformin)	NESINA (alogliptin)
ONGLYZA (saxagliptin)PA***	OSENI (alogliptin/pioglitazone)
TRADJENTA (linagliptin)	
	DIARETES - GLD1

***Onglyza - will require an FDA indication, a 3 month trial of metformin and concurrent metformin therapy

DIABETES - GLP1 AGONISTS

EFFECTIVE 10/01/2017 Version 2017.5

This is NOT an all-inclusive list of covered medications or medications that require prior authorization. Only PDL managed categories are included. Refer to cover page for complete list of rules governing this PDL.

Visit http://www.hidesigns.com/ndmedicaid for more information on medications not found in this list.

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
Category PA Criteria: Non preferred agents 1. A 30-day trial of 2 preferred agents. 2. An FDA indication. 3. Concurrent metformin therapy. 4. A 3-month trial of metformin.	will require:	
BYDUREON (exenatide microspheres)	ADLYXIN (lixisenatide)	***Victoza requires PA for an FDA-approved indication, concurrent metformin
BYETTA (exenatide)	TRULICITY (dulaglutide)	therapy, and a 3-month trial of metformin.
TANZEUM (albiglutide)		
VICTOZA (liraglutide)PA***		
	DIABETES - SGLT2	INHIBITORS
Category PA Criteria: Non-preferred agents 1. An FDA indication. 2. A 3-month trial of a metformin 3. A 3-month trial of a canagliflozin and a 3-m 4. Concurrent metformin therapy – this condit	·	is a metformin combination agent.
INVOKAMET (canagliflozin)	FARXIGA (dapagliflozin)	
INVOKAMET XR (canagliflozin/metformin)	GLYXAMBI (empagliflozin/linagliptin)	
INVOKANA (canagliflozin)	XIGDUO XR (dapagliflozin/metformin)	
JARDIANCE (empagliflozin)	SYNJARDY XR (empagliflozin/metformin)	
SYNJARDY (empagliflozin/metformin)		
	DIARRHEA - IRRITABLE E	OWEL SYNDROME
Category PA Criteria: Patient must be 18 ye	ars of age or older. A 30-day trial of all preferre	ed agents will be required before a non-preferred medication will be approved.
VIBERZI (eluxadoline)	LOTRONEX (alosetron)***	***Alosetron- Patient must be a female.
XIFAXIN (rifaximin) 550 mg tablet	alosetron***	
loperimide		
	DIGESTIVE EN	
present.	eferred agents will be required before a non-pro-	eferred agent will be authorized unless 1 of the exceptions on the PA form is
CREON (lipase/protease/amylase)	PANCREAZE (lipase/protease/amylase)	
ZENPEP (lipase/protease/amylase)	PANCRELIPASE (lipase/protease/amylase)	

EFFECTIVE 10/01/2017 Version 2017.5

	THERAPEUTIC DR	UG CLASS
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	ULTRESA (lipase/protease/amylase)	
	VIOKACE (lipase/protease/amylase)	
	GOUT - COLC	
Category PA Criteria: A 30-day trial of all pre	ferred agents will be required before a non-pre	eferred agent will be authorized.
MITIGARE (colchicine)	Colchicine capsule	
	Colchicine tablet	
	COLCRYS (colchicine) TABLET	
	FIBROMYAI	_GIA
Category PA Criteria: A 30-day trial of 2 prefemedication will satisfy this requirement.	erred agents will be required before a non-pref	erred agent will be authorized. A 30-day trial of 2 preferred generics of the same
Duloxetine	CYMBALTA (duloxetine)	
Gabapentin capsule	NEURONTIN (gabapentin) CAPSULE	
Gabapentin oral solution	NEURONTIN (gabapentin) TABLET	
Gabapentin tablet	NEURONTIN (gabapentin) ORAL SOLUTION	
LYRICA (pregabalin)		
LYRICA (pregabalin) ORAL SOLUTION		
SAVELLA (milnacipran)		
	GLAUCOMA - SYMPA	
Category PA Criteria: A 30-day trial of 2 prefered generics of the sa		erred agent will be authorized unless 1 of the exceptions on the PA form is present.
ALPHAGAN P 0.1% (brimonidine)	brimonidine 0.15%	
ALPHAGAN P 0.15% (brimonidine)	IOPIDINE (apraclonidine)	
Apraclonidine		
brimonidine 0.2%		
COMBIGAN (brimonidine/timolol)		
SIMBRINZA (brinzolamide/brimonidine)		
	GROWTH HOP	RMONE

EFFECTIVE 10/01/2017 Version 2017.5

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
Category PA Criteria: 1. Patients new to GH therapy must meet the 2. Patients continuing GH therapy and having Additional criteria applies. For details, see http	met the criteria listed below must be switched	to a preferred growth hormone.
GENOTROPIN (somatropin)PA	HUMATROPE (somatropin)	
GENOTROPIN MINIQUICK (somatropin)PA	NUTROPIN AQ (somatropin)	
NORDITROPIN FLEXPRO (somatropin)PA	OMNITROPE (somatropin)	
	SAIZEN (somatropin)	
	ZOMACTON (somatropin)	
H	EART FAILURE - NEPRILYSIN INHIBITOR/A	ANGIOTENSIN RECEPTOR BLOCKER
Category PA Criteria: 1. Patient must have symptomatic chronic hea 2. Patient must have systolic dysfunction (left		
ENTRESTO (sacubitril/valsartan)		
	HEMATOPOIETIC, GRO	OWTH FACTOR
Category PA Criteria: All agents will require	an FDA indication. A 4-week trial of all preferre	ed products will be required before non-preferred agents will be authorized.
ARANESP (darbepoetin alfa)PA	EPOGEN (epoetin alfa)	
PROCRIT (epoetin alfa)PA	MIRCERA (methoxy polyethylene glycolepoetin beta)	
	HEPATITIS C TRE	ATMENTS

This is NOT an all-inclusive list of covered medications or medications that require prior authorization. Only

PDL managed categories are included. Refer to cover page for complete list of rules governing this PDL. Visit http://www.hidesigns.com/ndmedicaid for more information on medications not found in this list.

EFFECTIVE 10/01/2017 Version 2017.5

	THERAPEUTIC DR	UG CLASS
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
Catagory BA Critoria: Non proferred agents y	will require a failed trial of all proferred treatment	nt antions indicated for the nationals genetype and he labeled for failure of provious

Category PA Criteria: Non-preferred agents will require a failed trial of all preferred treatment options indicated for the patient's genotype and be labeled for failure of previous treatment.

- 1. Patient must have an FDA-approved diagnosis.
- 2. Patient must be an FDA-approved age.
- 3. Patient must attest that they will continue treatment without interruption for the duration of therapy.
- 4. Prescriber must be, or consult with, a hepatologist, gastroenterologist, or infectious disease specialist.
- 5. Prescriber must provide documentation that the patient has been drug and alcohol free for the past 12 months. Documentation includes at least 2 drug and alcohol tests dated at least 3 months apart and chart notes addressing patient's alcohol and drug free status throughout the past year.
- 6. HCV RNA level must be taken on week 4 and sent with a renewal request for any duration of treatment 12 weeks or longer.
- 7. Females using ribavirin must have a negative pregnancy test in the last 30 days and receive monthly pregnancy tests during treatment.
- 8. Patient must have established compliant behavior including attending scheduled provider visits (defined as 1 or less no-shows) and filling maintenance medications on time as shown in the prescription medication history for the past 12 months.
- 9. Patient must be tested for hepatitis B, and if the test is positive, hepatitis B must either be treated or closely monitored if patient does not need treatment.
- 10. Patient must not have life expectancy of less than 12 months due to non-liver related comorbid conditions.
- 11. PA approval duration will be based on label recommendation.

EPCLUSA (sofosbuvir/velpatasvir)PA***	DAKLINZA (Daclatasvir)	***Epclusa:
MAVYRET (glecaprevir/pibrentasvir)PA***	HARVONI (ledipasvir/sofosbuvir)	Must be used with ribavirin for patients with decompensated cirrhosis (Child-Pugh B or Child-Pugh C).
	OLYSIO (simeprevir)	***Mavyret/Vosevi:
	SOVALDI (sofosbuvir)	Patient must not have decompensated cirrhosis (Child-Pugh B or Child-Pugh C)
	TECHNIVIE (ombitasvir/paritaprevir/ritonavir)	
	VIEKIRA PAK (dasabuvir/ombitasvir/paritaprevir/ritonavir)	
	VIEKIRA PAK XR (dasabuvir/ombitasvir/paritaprevir/ritonavir)	
	VOSEVI (sofosbuvir/velpatasvir/voxilaprevir)	
	ZEPATIER (elbasvir/grazoprevir)	
	INFLAMMATORY BOWEL AGENTS (ULCER	RATIVE COLITIS) - NONSTEROIDAL

Category PA Criteria: A 30-day trial of each of the preferred agents will be required before a non-preferred agent will be authorized. Non-preferred agents will require an FDA indication.

EFFECTIVE 10/01/2017 **Version 2017.5**

This is NOT an all-inclusive list of covered medications or medications that require prior authorization. Only PDL managed categories are included. Refer to cover page for complete list of rules governing this PDL.

Visit http://www.hidesigns.com/ndmedicaid for more information on medications not found in this list.

	THERAPEUTIC I	DRUG CLASS
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
Oral		
APRISO (mesalamine) CAPSULE	ASACOL HD (mesalamine)	***Giazo - Patient must be a male.
Balsalazide capsule	AZULFIDINE (sulfasalazine)	
DELZICOL (mesalamine) CAPSULE	AZULFIDINE DR (sulfasalazine)	
DIPENTUM (olsalazine)	COLAZAL (balsalazide)	
LIALDA (mesalamine) TABLET	GIAZO (balsalazide)***	
PENTASA (mesalamine)	Mesalamine DR	
Sulfasalazine DR tablet	SULFAZINE (sulfasalazine)	
Sulfasalazine tablet		
Rectal		
CANASA (mesalamine) RECTAL SUPPOSITORY	Mesalamine enema kit	
Mesalamine enema	ROWASA (mesalamine) ENEMA KIT	
SF ROWASA (mesalamine) ENEMA		
	LIC	
	cation trial of each of the preferred agents will be community breakout of a resistant strain that is c	required before a non-preferred agent will be authorized. This requirement will be only susceptible to a non-preferred agent.
EURAX (crotamiton) CREAM	ELIMITE (permethrin) CREAM	
LICE SOLUTION (piperonyl butoxide/pyrethrins)	EURAX (crotamiton) LOTION	
NATROBA (spinosad)	Malathion	
Permethrin cream	OVIDE (malathion)	
Permethrin liquid	Spinosad	
r erritettiilit ilquiu	Op.	
SKLICE (ivermectin)		
•		

Category PA Criteria:

Patients 18 years old or older: A 30-day trial of all preferred agents in the past 24 months will be required before a non-preferred agent will be authorized. Patients 6 to 17 years of age: A 30-day trial of rizatriptan in the past 24 months will be required before a non-preferred agent will be authorized.

This is NOT an all-inclusive list of covered medications or medications that require prior authorization. Only

PDL managed categories are included. Refer to cover page for complete list of rules governing this PDL. Visit http://www.hidesigns.com/ndmedicaid for more information on medications not found in this list.

EFFECTIVE 10/01/2017 Version 2017.5

THERAPEUTIC DRUG CLASS			
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
RELPAX (eletriptan)	Almotriptan	***Treximet – For patients 18 years or older, the patient must be stable on the combination product and have had a 30-day trial of naproxen in addition to	
Rizatriptan	ALSUMA (sumatriptan) PEN INJCTR***	sumatriptan to be approved. This criteria is in addition to the class criteria.	
Rizatriptan tab rap. dis.	AMERGE (naratriptan)	***Frovatriptan – A 30-day trial of naratriptan 2.5 mg within the past 24 months wi	
Sumatriptan tablet	Eletriptan	be required in addition to the class criteria. The patient's migraine headaches mus	
	FROVA (frovatriptan)***	either menstrual, long in duration, and/or recurring.	
	IMITREX (sumatriptan) CARTRIDGE***	***Almotriptan – A 30-day trial of Zolmitriptan 5 mg in the past 24 months will be	
	IMITREX (sumatriptan) PEN INJCTR***	required in addition to the class criteria.	
	IMITREX (sumatriptan) SPRAY	**Zembrance Symtouch/Sumatriptan Injection – A 30-day trial of Naratriptan 2.5 mg, Sumatriptan Nasal Spray 20 mg, Zomig Nasal Spray 5 mg, Zolmitriptan 5 mg	
	IMITREX (sumatriptan) TABLET	Axert 12.5 mg, Treximet, and Frova in the past 24 months will be required in addition to the class criteria.	
	IMITREX (sumatriptan) VIAL***	addition to the class cheria.	
	MAXALT (rizatriptan)		
	MAXALT MLT (rizatriptan)		
	Naratriptan		
	ONSETRA XSAIL (sumatriptan)***		
	Sumatriptan cartridge***		
	Sumatriptan pen injctr***		
	Sumatriptan spray		
	Sumatriptan syringe***		
	Sumatriptan vial***		
	SUMAVEL DOSEPRO (sumatriptan)		
	TREXIMET (sumatriptan/naproxen)***		
	Zolmitriptan		
	Zolmitriptan ODT		
	ZOMIG (zolmitriptan)		
	ZOMIG (zolmitriptan) SPRAY		
	ZOMIG ODT (zolmitriptan)		
	MULTIPLE SC	LEROSIS	
Interferons			

EFFECTIVE 10/01/2017 Version 2017.5

This is NOT an all-inclusive list of covered medications or medications that require prior authorization. Only PDL managed categories are included. Refer to cover page for complete list of rules governing this PDL.

Visit http://www.hidesigns.com/ndmedicaid for more information on medications not found in this list.

	THERAPEUTIC D	RUG CLASS
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
AVONEX (interferon beta-1A) PEN	EXTAVIA (interferon beta-1B)	
AVONEX (interferon beta-1A) SYRINGE	PLEGRIDY (peginterferon beta-1A) PEN	
AVONEX (interferon beta-1A) VIAL	PLEGRIDY (peginterferon beta-1A) SYRINGE	
BETASERON (interferon beta-1B)		
REBIF (interferon beta-1A)		
REBIF REBIDOSE (interferon beta-1A)		
Injectable Non-Interferons		
is required. Prescriber must be a neurologist COPAXONE (glatiramer) 20 MG/ML	COPAXONE (glatiramer) 40 MG/ML*** Glatopa (glatiramer)*** ZINBRYTA (daclizumab)***	***Zinbryta: • Transaminase and bilirubin levels must have been obtained within 6 months of request. • Patient must not have hepatitis B or C. • Patient must be screened for TB and have been treated if TB positive. • If patient has early aggressive disease defined as ≥ 2 relapses in the year and ≥ 1 Gadolinium (Gd)+ lesion, the trials of oral non-interferons will not be required. • Patient must have Anti-JC virus antibodies taken. ***Copaxone/Glatopa: • A reason must be indicated why Copaxone 20 mg/mL will not work.
Oral Non-Interferons		
Category PA Criteria: A 3-month long trial of	all preferred agents and Copaxone will be reindication to Copaxone, a 3-month trial of inte	quired before a non-preferred agent will be authorized. If patient has a documented erferon beta-1 is required for non-preferred agents. An FDA indication is required.
AUBAGIO (teriflunomide)	TECFIDERA (dimethyl fumarate)***	*** Tecfidera: Patient must have had a CBC with lymphocyte count within 6
GILENYA (fingolimod)		months of request.
	OPHTHALMIC ANT	THISTAMINES
Category PA Criteria: A 30-day trial of 3 pref	erred agents will be required before a non-pro	eferred agent will be authorized.

EFFECTIVE 10/01/2017 Version 2017.5

	THERAPEUTIC DR
PREFERRED AGENTS	NON-PREFERRED AGENTS
ALOCRIL (nedocromil)	ELESTAT (epinastine)
ALOMIDE (lodoxamide)	Epinastine
Azelastine	Olopatadine 0.2%
BEPREVE (bepotastine)	PATADAY 0.2% (olopatadine)
Cromolyn	PATANOL 0.1% (olopatadine)
EMADINE (emedastine)	
LASTACAFT (alcaftadine)	
Olopatadine 0.1%	
PAZEO (olopatadine)	
	OPHTHALMIC ANTI
Category PA Criteria: A 3-day trial of 3 prefer	rred agents will be required before a non-prefe
AZASITE (azithromycin) DROPS	AK-POLY-BAC (bacitracin/polymyxin) OINTMENT
Bacitracin ointment	BLEPH-10 (sulfacetamide) DROPS
Bacitracin/polymyxin ointment	CILOXAN (ciprofloxacin) DROPS
BESIVANCE (besifloxacin) DROPS	Gatifloxacin drops
CILOXAN (ciprofloxacin) OINTMENT	GENTAK (gentamicin sulfate) OINTMENT
Ciprofloxacin drops	ILOTYCIN (erythromycin) OINTMENT
Erythromycin ointment	Levofloxacin drops
Gentamicin sulfate drops	moxifloxacin drops
Gentamicin sulfate ointment	NEO-POLYCIN (neomycin SU/bacitracin/polymyxin B) OINTMENT
MOXEZA (moxifloxacin) DROPS	NEOSPORIN (neomycin SU/polymyxin B/gramicidin) DROPS
Neomycin SU/bacitracin/polymyxin B ointment	OCUFLOX (ofloxacin) DROPS
Neomycin SU/polymyxin B/gramicidin drops	POLYCIN (bacitracin/polymyxin) OINTMENT
Ofloxacin drops	POLYTRIM (polymyxin B/trimethoprim) DROPS

EFFECTIVE 10/01/2017 Version 2017.5

	THERAPEUTIC DR	RUG CLASS
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
Polymyxin B/trimethoprim drops	TOBREX (tobramycin) DROPS	
Sulfacetamide drops	ZYMAXID (gatifloxacin) DROPS	
Sulfacetamide ointment		
Tobramycin drops		
TOBREX (tobramycin) OINTMENT		
VIGAMOX (moxifloxacin) DROPS		
	OPHTHALMIC ANTIINFECTIVES	
		erred agent will be authorized unless 1 of the exceptions on the PA form is present
MAXITROL (neomycin/polymyxin b/dexamethasone) DROPS	BLEPHAMIDE (sulfacetamide/prednisolone) DROPS	
Neomycin/bacitracin/polymyxin b/hydrocortisone ointment	BLEPHAMIDE S.O.P. (sulfacetamide/prednisolone) ointment	
Neomycin/polymyxin b/dexamethasone drops	MAXITROL (neomycin/polymyxin b/dexamethasone) OINTMENT	
Neomycin/polymyxin b/dexamethasone ointment	Neomycin/polymyxin b/hydrocortisone drops	
PRED-G (gentamicin/prednisol ac) DROPS	NEO-POLYCIN HC (neomycin SU/bacitracin/polymyxin B/hydrocortisone) OINTMENT	
PRED-G (gentamicin/prednisol ac) OINTMENT	TOBRADEX ST (tobramycin/dexamethasone) DROPS	
Sulfacetamide/prednisolone drops	Tobramycin/dexamethasone	
TOBRADEX (tobramycin/dexamethasone) DROPS		
TOBRADEX (tobramycin/dexamethasone) OINTMENT		
ZYLET (tobramycin/lotepred etab) DROPS		
	OPHTHALMIC ANTIINF	
Category PA Criteria: A 5-day trial of 2 prefer	erred agents will be required before a non-prefe	erred agent will be authorized unless 1 of the exceptions on the PA form is presen
ACUVAIL (ketorolac)	ACULAR (ketorolac)	
ALREX (loteprednol)	ACULAR LS (ketorolac)	

EFFECTIVE 10/01/2017 Version 2017.5

	THERAPEUTIC DE	RUG CLASS
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
Bromfenac sodium	Dexamethasone sodium phosphate	
BROMSITE (bromfenac sodium)	FML (fluorometholone)	
Diclofenac sodium	Ketorolac tromethamine	
DUREZOL (difluprednate)	LOTEMAX (loteprednol) DROPS	
FLAREX (fluorometholone)	OCUFEN (flurbiprofen)	
Fluorometholone	OMNIPRED 1% (prednisolone acetate)	
Flurbiprofen sodium	PRED FORTE 1% (prednisolone acetate)	
FML FORTE (fluorometholone)	Prednisolone sodium phosphate 1%	
FML S.O.P. (fluorometholone)		
ILEVRO (nepafenac)		
LOTEMAX (loteprednol) OINTMENT		
MAXIDEX (dexamethasone)		
NEVANAC (nepafenac)		
PRED MILD 0.12% (prednisolone acetate)		
Prednisolone acetate 1%		
PROLENSA (bromfenac)		
VEXOL (rimexolone)		
	OPIOID ANALGESIC -	
preferred agents to be authorized, patient must Dakota PDMP reports.	st have required around-the-clock pain relief for	orphine will be required before a non-preferred agent will be authorized. For non- or the past 90 days and prescriber must have reviewed the last 3 months of North
BUTRANS (buprenorphine)	ARYMO ER (oxycodone)***	*** Fentanyl 12 mcg/hr – The total daily opioid dose must be less than 60
EMBEDA (morphine/naltrexone)	BELBUCA (buprenorphine)***	Morphine Equivalent Dose (MED) and the last 3 months of the PDMP report must be reviewed.
Fentanyl 12 mcg/hr ^{PA***}	buprenorphine patches***	be reviewed.
Fentanyl 25 mcg/hr, 50 mcg/hr, 75 mcg/hr	DURAGESIC (fentanyl)	***Belbuca, Oxycodone ER, Hysingla ER, Morphine ER Cap, Morphabond ER and
Morphine ER tablets	EXALGO (hydromorphone)***	Arymo ER – A 30-day failed trial of a long acting oxycodone will be required in
NUCYNTA ER (tapentadol)	Fentanyl patch 37.5 mcg/hr, 62.5 mcg/hr, 87.5 mcg/hr***	addition to category PA criteria. ***Hydromorphone ER and Exalgo – The 90-day around-the-clock pain relief
Tramadol ER	Hydromorphone ER tablets***	requirement must be met by an equianalgesic dose of 60 mg oral morphine daily,
	HYSINGLA ER (hydrocodone)***	25 mcg transdermal fentanyl/hour, 30 mg oxycodone daily, 8 mg of oral
	KADIAN (morphine)***	hydromorphone daily, or another opioid daily. A 30-day failed trial of oxymorphone
	Methadone***	ER and a long acting oxycodone is required in addition to category PA criteria.

EFFECTIVE 10/01/2017 Version 2017.5

This is NOT an all-inclusive list of covered medications or medications that require prior authorization. Only PDL managed categories are included. Refer to cover page for complete list of rules governing this PDL.

Visit http://www.hidesigns.com/ndmedicaid for more information on medications not found in this list.

PREFERRED AGENTS	NON-PREFERRED AGENTS MORPHABOND ER (morphine)*** Morphine ER capsules*** MS CONTIN (morphine)	***Methadone, and Fentanyl Patch 37.5 mcg/hr, 62.5 mcg/hr, 87.5 mcg/hr requires
	Morphine ER capsules***	***Methadone, and Fentanyl Patch 37.5 mcg/hr, 62.5 mcg/hr, 87.5 mcg/hr requires
		***Methadone, and Fentanyl Patch 37.5 mcg/hr, 62.5 mcg/hr, 87.5 mcg/hr requires
	MS CONTIN (morphine)	
	ino continu (morphino)	a 30-day failed trial of a long acting oxycodone, Butrans, tramadol ER, Nucynta ER in addition to category PA criteria.
	OPANA ER (oxymorphone)	EN III addition to dategory 174 ontona.
	Oxycodone ER***	
	OXYCONTIN (oxycodone)***	
	Oxymorphone ER tablets	
	ULTRAM ER (tramadol ER)	
	XARTEMIS XR	
	(oxycodone/acetaminophen)	
	XTAMPZA ER (oxycodone)	
	ZOHYDRO ER (hydrocodone)***	
	OPIOID ANTAGONIST - OPIOID A	ND ALCOHOL DEPENDENCE
/IVITROL (Naltrexone Microspheres)		
	OPIOID PARTIAL ANTAGONIS	T - OPIOID DEPENDENCE
Category PA Criteria: A 30-day trial of 1 prefer	erred agent will be required before a non-pre	ferred agent will be authorized.
. Patient must be 16 years of age or older.		
2. Patient must not be taking other opioids, tra	madol, or carisoprodol concurrently.	
		Health Services Administration (SAMHSA) and provide his/her DEA number.
. The prescriber and patient must have a con		a treatment plan.
. The prescriber must perform routine drug so		L d D L d DDMD
 The prescriber must routinely check the PDI The prescriber must be enrolled with ND Me 		North Dakota PDMP reports.

ZUBSOLV (buprenorphine/naloxone)PA	BUNAVAIL FILM	*** Bunavail/Suboxone Film/buprenorphine will require a 30-day trial of	
ZOBSOLV (buprenorphine/haloxone)	(buprenorphine/naloxone)***	buprenorphine/naloxone tablets in addition to the category PA criteria.	
	Buprenorphine tablets***		
	Buprenorphine-naloxone tablets	***Buprenorphine tablets will be allowed during a period that a patient is pregnant	
	SUBOXONE FILM	or breastfeeding.	
	(buprenorphine/naloxone)***		
OTIC ANTI-INFECTIVES - FLUOROQUINOLONES			

Category PA Criteria: A 7-day trial of 1 preferred product in the past 3 months is required before a non-preferred product will be approved.

CIPRO HC (ciprofloxacin/hydrocortisone) FLOXIN (ofloxacin)

EFFECTIVE 10/01/2017 **Version 2017.5**

This is NOT an all-inclusive list of covered medications or medications that require prior authorization. Only PDL managed categories are included. Refer to cover page for complete list of rules governing this PDL.

Visit http://www.hidesigns.com/ndmedicaid for more information on medications not found in this list.

THERAPEUTIC DRUG CLASS				
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA		
CIPRODEX (ciprofloxacin/dexamethasone)	Ofloxacin			
	OTOVEL (ciprofloxacin/fluocinolone)			
PHOSPHATE BINDERS				
Category PA Criteria: The following criteria will be required before a non-preferred agent will be authorized:				
1. Patient must have had a 3-month trial of 3 preferred different chemical entities.				
2. Patient must have end stage renal disease or chronic kidney disease.				
3. Patients with chronic kidney disease stage 5 must have a phosphate level greater than 5.5 mg/dl				

- 4. All other patients must have a phosphate level greater than 4.6 mg/dL.

Calcium acetate capsule	AURYXIA (ferric citrate) TABLET	^^^ Velphoro – A 3-month trial of Auryxia will be required in addition to category PA
Calcium acetate tablet	FOSRENOL (lanthanum) POWDER PACK	criteria.
ELIPHOS (calcium acetate) TABLET	VELPHORO (sucroferric oxyhydroxide)***	
FOSRENOL (lanthanum) 500 MG AND 750 MG CHEWABLE TABLET	FOSRENOL (lanthanum) 1000 MG CHEWABLE TABLET	
PHOSLO (calcium acetate) CAPSULE	sevelamer powder pack	
PHOSLYRA (calcium acetate) ORAL solution		
RENAGEL (sevelamer) TABLET		
RENVELA (sevelamer) POWDER PACK		
RENVELA (sevelamer carbonate) TABLET		

PLATELET AGGREGATION INHIBITORS

Category PA Criteria: A 30 day trial of 2 preferred agents will be required before a non-preferred agent will be authorized unless 1 of the exceptions is indicated on the form.			
Aspirin/dipyridamole ER	AGGRENOX (aspirin/dipyridamole)	***Zontivity – Patient must be 18 years of age or older. Zontivity must be taken	
BRILINTA (ticagrelor)	Clopidogrel 300mg	with aspirin and/or clopidogrel. Patient must not have a history of stroke, trans ischemic attack, or intracranial hemorrhage.	
Clopidogrel 75 mg	DURLAZA (aspirin ER)***		
Dipyridamole	PERSANTINE (dipyridamole)	***Durlaza/Yosprala DR – Patient must have a reason that immediate release	
EFFIENT (prasugrel)	PLAVIX (clopidogrel)	aspirin is not an option.	
Ticlopidine	YOSPRALA DR (aspirin/omeprazole)***		
	ZONTIVITY (vorapaxar)***		

PULMONARY HYPERTENSION

PDE-5 Inhibitors

EFFECTIVE 10/01/2017 Version 2017.5

THERAPEUTIC DRUG CLASS				
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA		
Category PA Criteria: A 30-day trial of all preferred agents will be required before a non-preferred agent will be authorized. All medications require an FDA-approved indication.				
ADCIRCA (tadalafil)PA	REVATIO (sildenafil) SUSPENSION***	***Revatio Suspension – Patients 7 years and older will be required to submit		
Sildenafil ^{PA***}	REVATIO (sildenafil) TABLET	documentation of their inability to ingest a solid dosage form.		
		***Sildenafil – A 30-day trial of Adcirca will be required for all patients younger than 18 years old.		
Soluble Guanylate Cyclase Stimulators				
	Category PA Criteria: Patients of childbearing potential must not be pregnant, be taking a reliable form of birth control, and have a pregnancy test before initiation and monthly during therapy. All medications require an FDA-approved indication.			
ADEMPAS (riociguat)PA				
Endothelin Receptor Antagonist				
		reliable form of birth control, and have a pregnancy test before initiation and monthly vill require a 30-day trial of all preferred medications.		
TRACLEER (bosentan)PA***	LETAIRIS (ambrisentan)	***Tracleer – LFTs must be measured at baseline and monthly during therapy.		
	OPSUMIT (macitentan)***	***Opsumit - A 30 day trial of Letairis will be required in addition to category PA		
		criteria		
Prostacyclins				
Category PA Criteria: A 30-day trial of all pre	Category PA Criteria: A 30-day trial of all preferred agents will be required before a non-preferred agent will be authorized.			
Epoprostenol ^{PA}	REMODULIN (treprostinil)	***Ventavis 20 mcg/mL - A patient must be maintained at a 5 mcg dose and		
FLOLAN (epoprostenol)PA	TYVASO (treprostinil)	repeatedly experiencing incomplete dosing due to extended treatment time to be approved.		
ORENITRAM ER (treprostinil)PA	UPTRAVI (selexipag)	approved:		
VELETRI (epoprostenol)PA	VENTAVIS (iloprost) 20 mcg/mL***			
VENTAVIS (iloprost) 10 mcg/mLPA				
	STEROID/LONG ACTING BETA AGONIST	(LABA) COMBINATION INHALERS		

EFFECTIVE 10/01/2017 Version 2017.5

This is NOT an all-inclusive list of covered medications or medications that require prior authorization. Only PDL managed categories are included. Refer to cover page for complete list of rules governing this PDL.

Visit http://www.hidesigns.com/ndmedicaid for more information on medications not found in this list.

THERAPEUTIC DRUG CLASS

	THERAFEUTIC DR	00 01/100	
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
Category PA Criteria: A 30-day trial of all preferred agents will be required before a non-preferred agent will be authorized. Non-preferred agents must have an FDA-approved indication.			
For COPD diagnosis, the following will be requ 1. A 30-day trial of Tudorza Pressair, Spiriva, S 2. A 30-day trial of Anoro Ellipta, Stiolto Respir	Spiriva Respimat, Incruse Ellipta, Anoro Ellipta		
2.7100 day mar or 7 more 2 mpra, enone 100pm	,, <u></u>	, 100pm, a, 1 0.1010, a, 0.1010, a	
For asthma diagnosis, patient must have been	, , , , , , , , , , , , , , , , , , , ,	I requests.	
ADVAIR DISKUS (fluticasone/salmeterol)	ADVAIR HFA (fluticasone/salmeterol)		
DIU EDA (m	AIRDUO RESPICLICK		
DULERA (mometasone/formoterol)	(fluticasone/salmeterol)		
SYMBICORT (budesonide/formoterol)	BREO ELLIPTA (fluticasone/vilanterol)		
	fluticasone/salmeterol		
	STEROID INHA	ALERS	
Category PA Criteria: A 30-day trial of all pre-	ferred agents will be required before a non-pre	eferred agent will be authorized.	
AEROSPAN (flunisolide)	ARNUITY ELLIPTA (fluticasone)		
ALVESCO (ciclesonide)	ASMANEX HFA (mometasone)		
ASMANEX (mometasone) TWISTHALER	ARMONAIR RESPICLICK (fluticasone)		
FLOVENT DISKUS (fluticasone)			
FLOVENT HFA (fluticasone)			
PULMICORT FLEXHALER (budesonide)			
QVAR (beclomethasone)			
	TESTOSTERONE	TOPICAL	
Category PA Criteria: A 30-day trial of all pref	ferred agents will be required before a non-pre	ferred agent will be authorized. All medications require an FDA-approved indication.	
ANDROGEL (testosterone) GEL MD PMP PA	ANDRODERM (testosterone)		
	AXIRON (testosterone) TOPICAL		
ANDROGEL (testosterone) PACKET 1%PA	SOLUTION		
ANDROGEL (testosterone) PACKET 1.62% ^{PA}	FORTESTA (testosterone)		
1.0270	NATESTO (testosterone)		
	TESTIM (testosterone)		
	TESTOPEL (testosterone)		
	Testosterone gel		
	Toolootorone ger		

EFFECTIVE 10/01/2017 Version 2017.5

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	Testosterone Gel MD PMP	
	Testosterone topical solution	
	VOGELXO (testosterone) GEL MD PMP	
URINARY ANTISPASMODICS		
Category PA Criteria: A 30-day trial of 3 preferred agents will be required before a non-preferred agent will be authorized. Non-preferred agents require an FDA-approved indication.		
ENABLEX (darifenacin)	Darifenacin ER	***SANCTURA ER/Trospium ER and will require a 1-month trial of Myrbetriq, trospium, and tolterodine in addition to the category PA criteria.
Flavoxate	DETROL (tolterodine)	
GELNIQUE (oxybutynin)	DETROL LA (tolterodine)	
Oxybutynin ER	DITROPAN XL (oxybutynin)	
Oxybutynin syrup	MYRBETRIQ (mirabegron)	
Oxybutynin tablet	SANCTURA (trospium)	
OXYTROL (oxybutynin) PATCH	SANCTURA ER (trospium)***	
TOVIAZ (fesoterodine)	Tolterodine	
VESICARE (solifenacin)	Tolterodine ER	
	Trospium	
	Trospium ER***	